

# METRIC CONVERSIONS

## Article Text

1990 Volkswagen Corrado

For Volkswagen Technical Site: <http://vw.belcom.ru>

Copyright © 1998 Mitchell Repair Information Company, LLC

Thursday, March 23, 2000 09:49PM

## ARTICLE BEGINNING

### GENERAL INFORMATION

## METRIC CONVERSIONS

## METRIC CONVERSIONS

Metric conversions are making life more difficult for the mechanic. In addition to doubling the number of tools required, metric-dimensioned nuts and bolts are used alongside English components in many new vehicles. The mechanic has to decide which tool to use, slowing down the job. The tool problem can be solved by trial and error, but some metric conversions aren't so simple. Converting temperature, lengths or volumes requires a calculator and conversion charts, or else a very nimble mind. Conversion charts are only part of the answer though, because they don't help you "think" metric, or "visualize" what you are converting. The following examples are intended to help you "see" metric sizes:

### LENGTH

Meters are the standard unit of length in the metric system. The smaller units are 10ths (decimeter), 100ths (centimeter), and 1000ths (millimeter) of a meter. These common examples might help you to visualize the metric units:

- \* A meter is slightly longer than a yard (about 40 inches).
- \* An aspirin tablet is about one centimeter across (.4 inches).
- \* A millimeter is about the thickness of a dime.

### VOLUME

Cubic meters and centimeters are used to measure volume, just as we normally think of cubic feet and inches. Liquid volume measurements include the liter and milliliter, like the English quarts or ounces.

- \* One teaspoon is about 4 cubic centimeters.
- \* A liter is about one quart.
- \* A liter is about 61 cubic inches.

### WEIGHT

The metric weight system is based on the gram, with the most common unit being the kilogram (1000 grams). Our comparable units are ounces and pounds:

- \* A kilogram is about 2.2 pounds.
- \* An ounce is about 28 grams.

### TORQUE

Thursday, March 23, 2000 09:49PM

UNIT CONVERSION			
3TO CONVERT	3TO	3 MULTIPLY BY	3
-----			
3LENGTH	3	3	3
3Millimeters (mm)	3Inches	3	3 .03937
3Inches	3Millimeters	3	3 25.4
3Meters (M)	3Feet	3	3 3.28084
3Feet	3Meters	3	3 .3048
3Kilometers(Km)	3Miles	3	3 .62137
-----			
3AREA	3	3	3
3Square Centimeters (cm <sup>2</sup> )	3Square Inches	3	3 .155
3Square Inches	3Square Centimeters	3	3 6.45159
-----			
3VOLUME	3	3	3
3Cubic Centimeters	3Cubic Inches	3	3 .06103

## Article Text (p. 3)

## 1990 Volkswagen Corrado

Copyright © 1998 Mitchell Repair Information Company, LLC

### CONVERSION FACTORS (Cont.)

<sup>3</sup>INCHES                      DECIMALS                      mm <sup>3</sup>

[illegible]

## Article Text (p. 4)

## 1990 Volkswagen Corrado

Copyright © 1998 Mitchell Repair Information Company, LLC

$\frac{19}{64}$	.297	7.541
$\frac{35}{16}$	.313	7.938
$\frac{21}{64}$	.328	8.334
$\frac{11}{32}$	.344	8.731
$\frac{23}{64}$	.359	9.128
$\frac{3}{8}$	.375	9.525
$\frac{25}{64}$	.391	9.992
$\frac{13}{32}$	.406	10.319
$\frac{27}{64}$	.422	10.716
$\frac{7}{16}$	.438	11.113
$\frac{29}{64}$	.453	11.509
$\frac{15}{32}$	.469	11.906
$\frac{31}{64}$	.484	12.303
$\frac{1}{2}$	.500	12.700
$\frac{33}{64}$	.516	13.097
$\frac{17}{32}$	.531	13.494
$\frac{35}{64}$	.547	13.891
$\frac{9}{16}$	.563	14.288
$\frac{37}{64}$	.578	14.684
$\frac{19}{32}$	.594	15.081
$\frac{39}{64}$	.609	15.478
$\frac{5}{8}$	.625	15.875
$\frac{41}{64}$	.641	16.272
$\frac{21}{32}$	.656	16.669
$\frac{43}{64}$	.672	17.066
$\frac{11}{16}$	.687	17.463
$\frac{45}{64}$	.703	17.859
$\frac{23}{32}$	.719	18.256
$\frac{47}{64}$	.734	18.653
$\frac{3}{4}$	.750	19.050
$\frac{49}{64}$	.766	19.447
$\frac{25}{32}$	.781	19.844
$\frac{51}{64}$	.797	20.241
$\frac{13}{16}$	.813	20.638
$\frac{53}{64}$	.828	21.034
$\frac{27}{32}$	.844	21.431
$\frac{55}{64}$	.859	21.828
$\frac{7}{8}$	.875	22.225
$\frac{57}{64}$	.891	22.622
$\frac{29}{32}$	.906	23.019
$\frac{59}{64}$	.922	23.416
$\frac{15}{16}$	.938	23.813
$\frac{61}{64}$	.953	24.209
$\frac{31}{32}$	.969	24.606
$\frac{63}{64}$	.984	25.003
$\frac{1}{1}$	1.000	25.400

[illegible]

**END OF ARTICLE**