

# INTERFERENCE VERIFICATION CHECK FOR OHC ENGINE

## Article Text

1989 Volkswagen Golf  
For Volkswagen Technical Site  
Copyright © 1998 Mitchell Repair Information Company, LLC  
Monday, August 23, 1999 11:56PM

### ARTICLE BEGINNING

Maintenance & Service Information  
1974-96 Volkswagen - Timing Belt Information

Cabrio, Cabriolet, Corrado, Dasher, Eurovan (Canadian), Fox, Golf, Golf (Canadian), GTI, GTI (Canadian), Jetta, Jetta GLI, Passat, Passat (Canadian), Pickup, Quantum, Rabbit, Scirocco, Scirocco (Canadian), Transporter (Canadian), Vanagon

### TIMING BELT INTERFERENCE VERIFICATION INFORMATION

#### TIMING BELT INTERFERENCE CAUTION

**NOTE:** CAMSHAFT DRIVE BELTS OR TIMING BELTS - The condition of camshaft drive belts should always be checked on vehicles which have more than 50,000 miles. Although some manufacturers do not recommend replacement at a specified mileage, others require it at 60,000-100,000 miles. A camshaft drive belt failure may cause extensive damage to internal engine components on most engines, although some designs do not allow piston-to-valve contact. These designs are often called "Free Wheeling". Many manufacturers changed their maintenance and warranty schedules in the mid-1980's to reflect timing belt inspection and/or replacement at 50,000-60,000 miles. Most service interval schedules shown in this section reflect these changes. Belts or components should be inspected and replaced if any of the following conditions exist:

- \* Crack Or Tears In Belt Surface
- \* Missing, Damaged, Cracked Or Rounded Teeth
- \* Oil Contamination
- \* Damaged Or Faulty Tensioners
- \* Incorrect Tension Adjustment

#### TIMING BELT INTERFERENCE CHECK MENU

TIMING BELT INTERFERENCE VERIF. TABLE - PASSENGER CARS (1)  
AA

Application		Engine	Replacement Interval (Miles)
Cabrio			
1995-96	.....	2.0L 4-Cyl.	(3) 60,000
Cabriolet			
1985-89	.....	1.8L 4-Cyl. (DOHC)	(3) 60,000
		1.8L 4-Cyl. (SOHC)	(3) 60,000
1990-93	.....	1.8L 4-Cyl.	(3) 60,000
Corrado			
1990-92	.....	1.8L 4-Cyl.	(3) 60,000

# INTERFERENCE VERIFICATION CHECK FOR OHC ENGINE

## Article Text (p. 2)

1989 Volkswagen Golf

For Volkswagen Technical Site

Copyright © 1998 Mitchell Repair Information Company, LLC

Monday, August 23, 1999 11:56PM

### Dasher

1976- 80	..... (2) 1. 5L 4- Cyl. Diesel	..... (3) 60, 000
1974- 80	..... 1. 6L 4- Cyl.	..... (3) 60, 000
1981- 80	..... (2) 1. 6L 4- Cyl.	
	Diesel & Turbo Diesel	..... (3) 60, 000

### Fox

1987- 93	..... 1. 8L 4- Cyl.	..... (3) 60, 000
----------	---------------------	-------------------

### Gol f

1985- 88	..... (2) 1. 6L 4- Cyl. Diesel	..... (3) 60, 000
1985- 89	..... 1. 8L 4- Cyl. (DOHC)	..... (3) 60, 000
1985- 93	..... 1. 8L 4- Cyl. (SOHC)	..... (3) 60, 000
1990- 92	..... 1. 8L 4- Cyl.	..... (3) 60, 000
1993- 96	..... 2. 0L 4- Cyl.	..... (3) 60, 000

### Gol f (Canadi an)

1985- 92	..... (2) 1. 6L 4- Cyl. Diesel	..... (3) 60, 000
1993	..... 1. 8L 4- Cyl.	..... (3) 60, 000

### GTI

1983- 84	..... (2) 1. 6L 4- Cyl. Diesel	..... (3) 60, 000
	(2) 1. 6L 4- Cyl. Turbo Diesel	... (3) 60, 000
	1. 7L 4- Cyl.	..... (3) 60, 000
	1. 8L 4- Cyl.	..... (3) 60, 000
1985- 89	..... 1. 8L 4- Cyl. (DOHC)	..... (3) 60, 000
1983- 92	..... 1. 8L 4- Cyl. (SOHC)	..... (3) 60, 000
1990- 92	..... 1. 8L 4- Cyl.	..... (3) 60, 000
1990- 96	..... 2. 0L 4- Cyl.	..... (3) 60, 000

### GTI (Canadi an)

1993	..... 2. 0L 4- Cyl.	..... (3) 60, 000
------	---------------------	-------------------

### Jetta

1980	..... 1. 6L 4- Cyl.	..... (3) 60, 000
1981- 92	..... (2) 1. 6L 4- Cyl.	
	Diesel & Turbo Diesel	..... (3) 60, 000
1983- 84	..... 1. 7L 4- Cyl.	..... (3) 60, 000
	1. 8L 4- Cyl.	..... (3) 60, 000
1985- 89	..... 1. 8L 4- Cyl. (DOHC)	..... (3) 60, 000
1983- 92	..... 1. 8L 4- Cyl. (SOHC)	..... (3) 60, 000
1990- 92	..... 1. 8L 4- Cyl.	..... (3) 60, 000
1993- 96	..... 2. 0L 4- Cyl.	..... (3) 60, 000

### Jetta GLI

1990- 92	..... 2. 0L 4- Cyl.	..... (3) 60, 000
----------	---------------------	-------------------

### Passat

1990- 96	..... 2. 0L 4- Cyl.	..... (3) 60, 000
----------	---------------------	-------------------

### Passat (Canadi an)

1993	..... 1. 8L 4- Cyl.	..... (3) 60, 000
------	---------------------	-------------------

### Quantum

1981- 86	..... (2) 1. 6L 4- Cyl.	
	Diesel & Turbo Diesel	..... (3) 60, 000
1981- 84	..... 1. 7L 4- Cyl.	..... (3) 60, 000
1984- 85	..... 2. 1L 5- Cyl.	..... (3) 60, 000
1983- 88	..... 2. 2L 5- Cyl.	..... (3) 60, 000
1985- 86	..... 1. 8L 4- Cyl.	..... (3) 60, 000

### Rabbi t

1974- 79	..... 1. 5L 4- Cyl.	..... (3) 60, 000
----------	---------------------	-------------------

# INTERFERENCE VERIFICATION CHECK FOR OHC ENGINE

## Article Text (p. 3)

1989 Volkswagen Golf

For Volkswagen Technical Site

Copyright © 1998 Mitchell Repair Information Company, LLC

Monday, August 23, 1999 11:56PM

		1. 6L 4-Cyl. ....	(3) 60,000
1976-80	..... (2)	1. 5L 4-Cyl. Diesel .....	(3) 60,000
1981-84	..... (2)	1. 6L 4-Cyl. ....	
		Diesel & Turbo Diesel .....	(3) 60,000
1983-84	.....	1. 7L 4-Cyl. ....	(3) 60,000
		1. 8L 4-Cyl. ....	(3) 60,000
Sclrocco			
1976-79	.....	1. 5L 4-Cyl. ....	(3) 60,000
1976-80	.....	1. 6L 4-Cyl. ....	(3) 60,000
1983-84	.....	1. 7L 4-Cyl. ....	(3) 60,000
		1. 8L 4-Cyl. ....	(3) 60,000
1985-89	.....	1. 8L 4-Cyl. (DOHC) .....	(3) 60,000
		1. 8L 4-Cyl. (SOHC) .....	(3) 60,000
Sclrocco (Canadian)			
1989	.....	1. 8L 4-Cyl. (DOHC) .....	(3) 60,000
		1. 8L 4-Cyl. (SOHC) .....	(3) 60,000

- (1) - Other interference engine applications may exist which are not indicated here.
- (2) - Interference engine. Check for possible damage to piston(s) or valve(s) if there has been a timing belt failure.
- (3) - Although the vehicle manufacturer does not recommend a specific scheduled maintenance interval, aftermarket belt manufacturers suggest the belt be replaced at 60,000 mile intervals.
- (4) - Vehicle manufacturer recommends replacing all belts at the same time.

AA

### TIMING BELT INTERFERENCE VERIF. TABLE - LIGHT TRUCKS (1)

AA

Application	Engine	Replacement Interval (Miles)
Eurovan (Canadian)		
1992-96	..... 2. 5L 5-Cyl. ....	(3) 60,000
Pickup		
1980	..... (2) 1. 5L 4-Cyl. Diesel .....	(3) 60,000
1980-83	..... 1. 6L 4-Cyl. ....	(3) 60,000
1981-83	.... (2) 1. 6L 4-Cyl. Diesel .....	(3) 60,000
	1. 7L 4-Cyl. ....	(3) 60,000
Transporter (Canadian)		
1992-96	..... 2. 5L 5-Cyl. ....	(3) 60,000
Vanagon		
1981-82	.... (2) 1. 6L 4-Cyl. Diesel .....	(3) 60,000

- (1) - Other interference engine applications may exist which are not indicated here.
- (2) - Interference engine. Check for possible damage to piston(s) or valve(s) if there has been a timing belt failure.

# INTERFERENCE VERIFICATION CHECK FOR OHC ENGINE

## Article Text (p. 4)

1989 Volkswagen Golf

For Volkswagen Technical Site

Copyright © 1998 Mitchell Repair Information Company, LLC

Monday, August 23, 1999 11:56PM

- (3) - Although the vehicle manufacturer does not recommend a specific scheduled maintenance interval, aftermarket belt manufacturers suggest the belt be replaced at 60,000 mile intervals.
- (4) - Vehicle manufacturer recommends replacing all belts at the same time.

AA

END OF ARTICLE